

INDEX MAPS.

T. 3N, R. 6E. 2nd Mer.

	354-356	354-356	354-356	355-356	355	355						
358	6	378	5	381	4	381	3	380	2	380	1	353
	377		378		378		379		379		379	
358	7	377	8	377	9	376	10	376	11	376	12	353
	373		374		374		374		375		375	
358	18	373	17	372	16	372	15	372	14	371	13	353
	369		369		370		370		370		371	
357	19	369	20	368	21	368	22	368	23	367	24	352
	365		365		366		366		367		367	
357	30	364	29	364	28	363	27	362	26	360	25	352
	363		364		362		361		360		359	
357	31	363	32	362	33	361	34	360	35	359	36	351
	349-351		349-351		349-351		349-350		349-350		350	

T. 4N, R. 6E. 2nd Mer.

	390-392	390-392	390-392	390-391	391	391						
394	6	413	5	417	4	416	3	416	2	416	1	389
	413		414		414		415		415		415	
394	7	413	8	412	9	412	10	411	11	411	12	389
	409		409		409		410		410		411	
393	18	408	17	408	16	408	15	407	14	407	13	388
	405		405		405		406		406		407	
393	19	404	20	404	21	404	22	403	23	403	24	388
	401		401		401		402		402		403	
393	30	400	29	399	28	398	27	397	26	396	25	388
	400		399		398		397		396		395	
392	31	399	32	398	33	396	34	395	35	395	36	387
	385-387		385-387		385-386		385-386		385-386		386	

[F] The figures on the lines refer to the page.

349

Township N. 3 North, Range N. 6 East 2. Mer. Indiana.

Township Lines.
South Boundary.
Random Lines.

East on the S. Boundary of Sec. 31

40.00 set temp. g. sec. post

49.00 a Brook 10 W. wide course N

80.00 set a temp. post for cn. of sec. 31 & 32
(Description of land &c. omitted)

East on the S. Boundary of Sec. 32

17.00 a Brook 20 W. wide course N W

52.25 a Dr 10 ; ; ; N W

80.00 set a temp. post for cn. of sec. 32 & 33

Land very thin & broken, timbered Oak & Hickory
Underbrush Dogwood

East on the S. Boundary of Sec. 33

12.50 a Brook 10 W. wide course N W

40.00 set temp. g. sec. post

71.50 a Brook 15 W. wide course N W

80.00 set a temp. post for cn. of sec. 33 & 34

Land good for farming, timbered Beech, Oak,
& Hickory

East on the S. Boundary of Sec. 34

40.00 set temp. g. sec. post

60.30 a Road leading N & S

80.00 set a temp. post for cn. of sec. 34 & 35

Land the same quality as last noted

East on the S. Boundary of Sec. 35

24.50 a Brook 20 W. wide course N W

31.50 same ; course N

T. 3 N., R. 6 E. 2.^d Mer. Ind.^a

40.00 set temp. g. sec. port
 41.50 a Brook course SE
 45.00 same " " N
 80.00 set a temp. port for cor. of sec. 35 & 36
 (Description of land &c. omitted)

East on the S. Boundary of Sec. 36
 31.00 a Brook 10 W. wide course NN
 40.00 set temp. g. sec. port
 64.50 a Brook 10 W. wide course N
 69.50 Intersect E. Boundary of T. 3 N. of Town. corner
 Land &c. the same as last noted.
 August 26. 1856

Corrected Line.

West on the S. Boundary of Sec. 36
 40.00 set g. sec. port from which
 a Beech 20 in. diameter N 89 E 35 W. dist 8
 a Do 4 " " " S 89 W 13 " "
 80.00 set port cor. of sec. 35 & 36 from which
 a Beech 24 in. diameter N 52 W 12 1/2 W. dist 8
 a Do 24 " " " S 52 E 8 " "

West on the S. Boundary of Sec. 35
 40.00 set g. sec. port from which
 a Beech 40 in. diameter N 75 W 21 1/2 W. dist 8
 a Sugar 12 " " " S 75 E 10 " "
 80.00 set port cor. of sec. 34 & 35 from which
 a W. Oak 10 in. diameter S 86 E 9 1/2 W. dist 8
 a Beech 10 " " " N 46 W 3 " "

West on the S. Boundary of Sec. 34
 40.00 set g. sec. port from which

T. 3 N., R. 6 E., 2^d Mer. Ind.^a

- a Chesnut 40 in. dis. bears N 49° W 7 1/2 M. dit. 8
 a Daywood 5 " " " S 49° E 36 1/2 " "
 80.00 set port cor. of sec. 33 & 34 from which
 a Beech 10 in. dis. bears N 75° E 36 M. dit. 8
 a Sugar 6 " " " S 73° W 21 " "
-

West on the S. Boundary of Sec. 33

- 40.00 set of sec. port from which
 a Beech 24 in. dis. bears N 7° W 25 M. dit. 8
 a W. Oak 12 " " " N 53° E 27 1/2 " "
 80.00 set port cor. of sec. 32 & 33 from which
 a Beech 10 in. dis. bears West 10 M. dit. 8
 a Dogwood 5 " " " N 70° E 15 " "
-

West on the S. Boundary of Sec. 32

- 40.00 set of sec. port from which
 a B. Oak 5 in. dis. bears S 60° E 6 M. dit. 8
 a Chesnut 10 " " " S 8° W 19 " "
 80.00 set port cor. of sec. 31 & 32 from which
 a Daywood 5 in. dis. bears N 13° E 26 M. dit. 8
 a Poplar 20 " " " N 83° W 22 " "
-

West on the S. Boundary of Sec. 31

- 40.00 a W. Oak 20 in. dis. stands for of sec. cor.

69.50 to Township corner

Surveyed in 1806 by Arthur Henrie

Dep. Surveyor

East Boundary. Var. 5° 50' E.

North on the E. Boundary of Sec. 36

- 4.00 a Brook 4 M. wide course NE. kept down it
 11.00 leave Brook running NE
 23.50 a B. Oak 18 in. dis.

T. 3 N., R. 6 E. 2. Mer. Ind. a

- 40.00 set of sec. part from which
 a W. Oak 36 in. dia bears S 40° W 8 lbs. dist. 8
 a Gum 7 " " " N 61° E 26 " "
 57.50 a Poplar 40 " "
 64.00 a Brook 15 lbs. wide course NE
 80.00 set part cor. of sec. 25 & 36 from which
 a Beech 24 in. dia bears S 52° E 16 lbs. dist. 8
 a Hickory 8 " " " N 53° W 25 " "
 Pretty good Oak land
-

North on the E. Boundary of Sec. 25

- 5.50 a W. Oak 36 in. dia.
 40.00 set of sec. part from which
 a Poplar 6 in. dia bears S 70° E 13 lbs. dist. 8
 a Beech 15 " " " N 10° E 16 " "
 50.00 a Brook 6 lbs. wide course NE
 63.80 a Beech 16 in. dia.
 80.00 set part cor. of sec. 24 & 25 from which
 a Gum 16 in. dia bears S 9° W 17 lbs. dist. 8
 a Beech 24 " " " N 71° E 34 " "
 First 1/2 mile Poor level Oak land, 2 1/2 miles
 level poor land, timber Oak, Beech &c
-

North on the E. Boundary of Sec. 24

- 17.85 a R. Oak 24 in. dia.
 35.00 a Beech 16 " "
 40.00 set of sec. part from which
 a Beech 20 in. dia bears S 80° W 5 lbs. dist. 8
 a Poplar 18 " " " N 75° E 29 " "
 Generally good level land, Oak, Beech &c
 57.00 a Brook 5 lbs. wide course NE
 61.00 a Beech 16 in. dia.
 80.00 set part cor. of sec. 13 & 24 from which

T. 3 N., R. 6 E., T. 2 Mer. Ind.?

a Hickory 14 in. diameter N 69 W 50 lbs. dist. 8
 a Beech 15 " " S 30 E 58 " "
 Good level land, timber Oak, Poplar &c.
 August 21st 1806

North on the E. Boundary of Sec. 13

17.50 a Brook 3 lbs. wide course NE

33.80 a Beech 14 in. dia.

40.00 set of sec. part from which

a Poplar 14 in. diameter N 59 W 6 lbs. dist. 8

a Do 16 " " South 16 " "

53.00 a Creek 30 lbs. wide course NW

54.25 an Ash 30 in. dia.

80.00 set part cor. of sec. 12 & 13 from which

an Ironwood 6 in. diameter N 61 W 6 lbs. dist. 8

a Beech 18 " " N 71 E 33 " "

First 1/2 mile pretty good Oak land, 2³/₄ mile
 wet land, timber Beech, Elm &c.

North on the E. Boundary of Sec. 12

34.00 an Elm 18 in. dia.

40.00 set of sec. part from which

a Maple 12 in. diameter N 70 W 12 lbs. dist. 8

a Do 6 " " S 81 E 30 " "

55.40 a Do 12 " "

80.00 set part cor. of sec. 1 & 12 from which

a W. Oak 36 in. diameter S 10 E 4 lbs. dist. 8

a Gum 12 " " N 10 W 40 " "

Maple Swamp the whole way

North on the E. Boundary of Sec. 1

10.00 to a large Branch of White River - lbs. wide
 running NW

T. 3 N., R. 6 E. 2^d Mer. Ind.^a

- 40.00 set gsec. post from which
 an Elm 12 in. dia. bears N 76° W 12 lbs. dist. 8
 a W. Oak 12 " " " N 84° E 20 " "
 Maple Swamp
- 50.00 leave Swamp
- 59.00 a Brook 3 lbs. wide course W
- 60.00 a W. Oak 16 in. dia.
- 80.00 set post cor. of Twp. 3 & 4 N., R. 6 & 7 E. from which
 a Beech 8 in. dia. bears N 42° W 11 lbs. dist. 8
 a Do 12 " " " S 39° W 59 " "
 A beautiful flat of Beech & Sugar land
 Surveyed in 1806 by Alexander Holmes
 Dep. Surveyor.

North Boundary. Random Line
 East on the S. Boundary of Sec. 31, T 4 N., R 6 E

- 30.00 Pond leading N & S
- 40.00 set temp. gsec. post
- 45.00 same Pond course N & S. both ends of the pond
 towards the N
- 65.00 a Brook 150 lbs. wide course N
- 80.00 set a temp. post for cor. of sec. 31 & 32
 This mile over level Beech timbered land

East on the S. Boundary of Sec. 32, T 4 N., R 6 E

- 40.00 set temp. gsec. post
- 80.00 set a temp. post for cor. of sec. 32 & 33
 Land of the same quality as last noted

East on the S. Boundary of Sec. 33, T 4 N., R 6 E

- 40.00 set temp. gsec. post
- 72.50 a Brook 150 lbs. wide course S W
- 80.00 set a temp. post for cor. of sec. 33 & 34

T. 3 N., R. 6 E., 2^d Mer. Ind.?

Land of the same quality as last noted

East on the S. Boundary of Sec. 34, T4N, R6E

4.00 a Beech 150 lbs. wide corner N9W

13.50 same " corner S

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 34 & 35

Land the same as last noted

East on the S. Boundary of Sec. 33, T4N, R6E

40.00 set temp. g. sec. post

80.00 set a temp. post for cor. of sec. 35 & 36

Land the same as last noted

East on the S. Boundary of Sec. 36, T4N, R6E

40.00 set temp. g. sec. post

75.50 Intersect E. Boundary 30 lbs. S. of Towns. corner
Good level Beech timbered land

Corrected Line

West on the S. Boundary of Sec. 36, T4N, R6E

40.00 set g. sec. post from which

a Beech 20 in. dia bears S 2 E 8 lbs. dist. 8

a Do 10 " " " N 27 W 16 " "

80.00 set post cor. of sec. 35 & 36 from which

a Sugar 10 in. dia bears N 41 E 24 lbs. dist. 8

a Do 7 " " " N 74 W 33 " "

West on the S. Boundary of Sec. 35, T4N, R6E

40.00 set g. sec. post from which

a Beech 10 in. dia bears S 74 E 15 lbs. dist. 8

a W. Oak 20 " " " N 87 W 16 " "

80.00 set post cor. of sec. 34 & 35 from which

T. 3 N, R. 6 E, S. 2. Mer. Ind.^a

a W. Oak 10 in. dis. bears N45E10 lbs. dist. 8
 a Beech 15 " " " S83W22 " "

West on the S. Boundary of Sec. 34, T. 4 N, R. 6 E

40.00 Set g. sec. post from which

a Beech 20 in. dis. bears N74E22 lbs. dist. 8

a Do 15 " " " N78W16 lbs " "

80.00 Set post cor. of sec. 33 & 34 from which

a Beech 40 in. dis. bears S74E17 lbs. dist. 8

a Sugar 8 " " " N81W18 " "

West on the S. Boundary of Sec. 33, T. 4 N, R. 6 E

40.00 Set g. sec. post from which

a W. Oak 5 in. dis. bears N29E3 1/2 lbs. dist. 8

an Elm 10 " " " S40W25 1/2 " "

80.00 Set post cor. of sec. 32 & 33 from which

a Beech 10 in. dis. bears S20W30 lbs. dist. 8

a Do 10 " " " N29W25 " "

West on the S. Boundary of Sec. 32, T. 4 N, R. 6 E

40.00 Set g. sec. post from which

a Beech 20 in. dis. bears S33E21 lbs. dist. 8

a Do 8 " " " N33W13 " "

80.00 Set post cor. of sec. 31 & 32 from which

a Beech 20 in. dis. bears S46E18 lbs. dist. 8

a Do 10 " " " N23W15 " "

West on the S. Boundary of Sec. 31, T. 4 N, R. 6 E

40.00 Set g. sec. post from which

a Sweet Gum 29 in. dis. bears N35E14 lbs. dist. 8

a Maple 20 " " " S20E17 " "

75.50 to Township corner. October 10. 1806

West Boundary.

North on the E. Boundary of Sec. 36, T. 3 N., R. 5 E

40.80 set of sec. post from which

a W. Oak 20 in. diam bears S 77° E 4 lbs. dist. 8

a Do 10 " " " S 77° W 6 " "

46.70 a Do 20 " "

50.00 a Brook 15 lbs. wide course N W

64.50 a Do 15 " " " N W

80.00 set post cor. of sec. 25 & 36 from which

a Hickory 8 in. diam bears N 32° W 6 lbs. dist. 8

a W. Oak 5 " " " S 22° E 13 1/2 " "

Thin B. Oak timbered land

North on the E. Boundary of Sec. 25, T. 3 N., R. 5 E

3.25 a W. Oak 20 in. diam.

38.75 a B. Oak 25 " "

40.00 set of sec. post from which

a Beech 8 in. diam bears N 12° W 27 lbs. dist. 8

a W. Oak 10 " " " S 43° E 26 " "

80.00 set post cor. of sec. 24 & 25 from which

a W. Oak 10 in. diam bears N 17° W 27 1/2 lbs. dist. 8

a Do 20 " " " S 5° W 23 " "

Thin Oak & Hickory timbered land, Underbrush
Dogwood & Spice

North on the E. Boundary of Sec. 24, T. 3 N., R. 5 E

27.00 a Brook 20 lbs. wide course E

40.00 set of sec. post from which

a W. Oak 20 in. diam bears N 20° W 34 lbs. dist. 8

a Beech 20 " " " S 40° E 22 " "

70.00 a Brook 12 lbs. wide course N W

77.50 same " course N

80.00 set post cor. of sec. 13 & 24 from which

T. 3 N., R. 6 E., T. Mer. Ind.^a

a Hickory 10 in. dia. bears S 79° W 18 lbs. dist. 8

a W. Ash 20 " " " N 47° W 34 " "

This mile over good farming land

North on the E. Boundary of Sec. 13, T. 3 N., R. 5 E

5.50 same Brook course NW

19.00 a W. Oak 20 in. dia.

24.00 same Brook course E

40.00 set g. sec. post from which

a W. Oak 12 in. dia. bears N 14° E 13 lbs. dist. 8

a Dogwood 6 " " " S 49° W 15 " "

62.00 a Spring run 4 lbs. wide course E

80.00 set post cor. of Sec. 12 & 13 from which

a Beech 20 in. dia. bears S 79° E 11 lbs. dist. 8

a Syc 10 " " " N 19° W 22 " "

Land the same as last noted

North on the E. Boundary of Sec. 12, T. 3 N., R. 5 E

16.50 a Brook 10 lbs. wide course E

40.00 set g. sec. post from which

a Beech 20 in. dia. bears N 60° E 13 lbs. dist. 8

a Gum 24 " " " N 83° W 23 " "

42.45 a Beech 20 " "

80.00 set post cor. of Sec. 10 & 12 from which

a Beech 12 in. dia. bears S 35° E 14 lbs. dist. 8

a Hickory 10 " " " N 48° W 8 " "

Land the same as last noted

North on the E. Boundary of Sec. 1, T. 3 N., R. 5 E

12.90 a W. Oak 40 in. dia.

40.00 set g. sec. post from which

a Hickory 10 in. dia. bears S 9° E 32 lbs. dist. 8

a Maple 12 " " " S 76° E 22 " "

T. 3 N., R. 6 E. 2. Mer. Ind.^a

80.00 set port cor. of T. 3 & 4 N, R. 5 & 6 E. from which
 an Elm 16 in. dia bears S 28 E 19 lbs. dist. 8
 a Maple 10 " " " N 86 W 23 " "
 This mile over flat land, Oaks & Hickory;
 Undergrowth Oak & Spice
 Surveyed in 1806 by Arthur Henrie
 Dep. Surveyor.

Subdivision.

On Tuesday the 28.th day of October 1806
 began the survey of this Township
 North between Sec. 35 & 36, T 3 N, R 6 E
 35.00 Bottom to the mile port
 40.00 set q. sec. port from which
 a Beech 13 in. dia bears S 53 W 23 lbs. dist. 8
 a Dr 15 " " " S 11 E 53 " "
 41.80 a Branch 8 lbs. wide course N 20 W
 45.40 a B. Oak 18 in. dia.
 67.25 a Branch 12 lbs. wide course N 20 E
 80.00 set port cor. of Sec. 25, 26, 35 & 36 from which
 a Beech 15 in. dia bears S 55 W 16 lbs. dist. 8
 a Dr 12 " " " N 54 W 8 " "
 Good land, Beech, Poplar & Oak

East or Random between Sec. 25 & 36
 15.00 a Branch 10 lbs. wide course N 25 W
 40.00 set temp. q. sec. port
 82.00 Interval E. Boundary 65 lbs. N. of port
 Level land, Beech & Poplar some Oak

West Corrected between Sec. 25 & 36
 41.00 set q. sec. port at aver. dist. from which
 a Beech 10 in. dia bears N 62 W 12 lbs. dist. 8

T. 3 N., R. 6 E. T. Mer. Ind.^a

a Beech 8 in. dia. bears East 12 lbs. dist.
82.00 to sec. cor.

North between Sec. 34 & 35

26.00 a Poplar 16 in. dia.

40.00 set g. sec. post from which

a W. Oak 20 in. dia. bears N 52° W 24 lbs. dist. &

an Oak 18 " " " S 13° W 24 " "

48.00 a Hickory 12 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a W. Oak 14 in. dia. bears S 54° W 18 lbs. dist. &

a Hickory 10 " " " S 35° E 18 " "

Low ridges, good Plough land, Oak, Hickory,
Beech & Poplar

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

46.00 a Branch 75 lbs. wide course N 30° W

80.92 Intersect N & S. line 35 lbs. N. of post -
Level good land, generally Beech

West Connected between Sec. 26 & 35

40.38 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 5° E 11 lbs. dist. &

a Spr 8 " " " N 62° W 23 " "

----- to sec. cor.

North between Sec. 25 & 26

13.00 a Branch 6 lbs. wide course W

32.12 a Beech 24 in. dia.

35.50 a Branch 10 lbs. wide course W

40.00 set g. sec. post from which

a Beech 13 in. dia. bears S 13° E 24 lbs. dist. &

Surveyed

T. 3 N., R. 6 E. 2^d Mer. Ind^a

a Yewwood 8 in. dia bears N 73 W 8 lbs. dist.

68.12 a Beech 24 " "

70.00 a Branch 3 lbs. wide course W

80.00 set post cor. of sec. 23, 24, 25 & 26 from which
a Beech 10 in. dia bears S 18 E 17 lbs. dist. 8

a Do 10 " " " S 30 W 13 " "

Level, generally Beech, some Poplar & Oak

North between Sec. 33 & 34

1.59 a W. Oak 16 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia bears N 18 E 7 lbs. dist. 8

a B. Oak 18 " " " S 3 E 19 " "

55.00 a Do 18

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Hickory 12 in. dia bears N 52 E 15 lbs. dist. 8

a Poplar 14 " " " S 29 E 16 " "

Low ridges, good Plough land, Oak, Beech & Poplar

East on Random between Sec. 27 & 34

0.78 a Branch 3 lbs. wide course N

40.00 set trip. g. sec. post

60.00 a Branch 15 lbs. wide course N 25 E

78.00 a Do 8 " " " N

80.78 Intersect N & S line 120 lbs. N. of post -

Low ridges, Oak, Hickory & Beech

West Corner between Sec. 27 & 34

40.39 set g. sec. post at aver. dist. from which

a W. Oak 8 in. dia bears S 60 W 11 lbs. dist. 8

a Maple 10 " " " N 72 E 38 " "

80.78 Sec. cor. Wednesday October 29. 1806

T. B. N., R. O. E. L. Mer. Ind. a.

North between Sec. 26 & 27

14.00 a Brauch 12 lbs. wide course N40E

17.90 a P. Oak 16 in. dia.

38.00 a Branch 10 lbs. wide across N45E

40.00 set of sec. part from which

a Sugar 21 in. dia. beam S 45° W 30 lbs. dist. 8

a Beech 8 " " " North 25 " "

57.00 a Branch 12 lbs. wide course N20 E

78.00 edge of a Swamp

80.00 Set port con. of sec. 22, 23, 26 & 27 from which

an Elm 22 in. diam. at S 48° W 52 lbs. dist. 8

a Maple 10 " " " 937E36 " "

Level, Oak, Beech & Poplar, some Maple

North between Sec. 32 & 33

14.50 u Branch 10 Wp. wide course N60E

30.00 a Su 12 " " " N40E

40.00 set g. sec. part from which

an Ark 12 in. diameter N 56 W 12 Ms. dist. 8

a W. Oak 12, , , S 72 E 29, ,

45.73 a R. Oak 16, s

80.00 Set part con. of ser. 28, 29, 32 & 33 from which

a W. Oak 14 in. diam. bears N 11 W 4 lbs. dist 8

un Art 10, , , 962817, ,

Low ridges, good Plough land, Oak, Ash & Poplar

East in Random between Sec. 28 & 33

17.50 a Branch 12 ft. wide course N40 E

40.00 cut temp. g sec. post

62.50 a Branch 10 ft. wide course N 50 E

65.50 " Du 12, , , N40E

81.00 Interest No G. line 30 Mo. N. of port -

Low ridges, good Plough land, Oak, Beech & Poplar

T. 3 N., R. 6 E. S. Mer. Ind.^a

West corner between Secs. 28 & 33

40.50 Set g. sec. post at aver. dist. from which

a W. Oak 12 in. diameter N 78 E 24 lbs. dist. 8

a Do 12 " " " S 50 W 24 " "

81.00 to sec. cor.

North between Secs. 27 & 28

30.06 a Poplar 30 in. dia.

40.00 Set g. sec. post from which

a Hickory 8 in. diameter N 86 W 7 lbs. dist. 8

a Do 7 " " " S 35 E 13 " "

80.00 Set post cor. of Secs. 21, 22, 27 & 28 from which

a Hickory 13 in. diameter S 36 W 14 lbs. dist. 8

a Do 10 " " " N 53 E 18 " "

Low ridges, good Plough land, Oak, Beech & Poplar

North between Secs. 31 & 32

30.38 a W. Oak 22 in. dia.

40.00 Set g. sec. post from which

a W. Oak 14 in. diameter S 51 E 13 lbs. dist. 8

a Chesn. Oak 15 " " " N 20 W 7 " "

54.75 a Branch 6 lbs. wide corner N 40 E

70.69 a W. Oak 22 in. dia.

80.00 Set post cor. of Secs. 29, 30, 31 & 32 from which

a W. Oak 16 in. diameter S 15 E 14 lbs. dist. 8

a B. Gum 22 " " " N 67 E 18 " "

Hilly thin land, Oak timber & some Brush
& green Briers.

West between Secs. 30 & 31

11.00 a W. Oak 20 in. dia.

40.00 Set g. sec. post from which

a W. Oak 30 in. diameter S 18 E 10 lbs. dist. 8

T. 3 N., R. 6 E. 2. Mer. Ind. a.

a B. Oak 7 in. diameter N 1 W 25 lbs. dist.
 63.78 a W. Oak 24 " "
 70.00 Intersect W. Boundary 37 lbs. N. of port -
 set port at intersection cor. of sec. 30 & 31 from which
 a W. Oak 27 in. diameter N 55 E 13 lbs. dist. 8,
 a Hickory 5 " " S 56 E 14 " "
 Low ridges, Oaks & Hickory

East on Pradon between Sec. 29 & 32

40.00 set temp. g. sec. port
 67.00 a Branch 25 lbs. wide course N
 80.00 Intersect N. S. line at port -
 Low ridges, Oaks, Beech & Poplar

West Connected between Sec. 29 & 32

40.00 set g. sec. port at aver. dist. from which
 a Beech 10 in. diameter N 20 E 37 lbs. dist. 8
 a Do 8 " " S 25 W 35 " "
 80.00 to sec. cor.

North between Sec. 28 & 29

9.56 a Poplar 14 in. diam.
 40.00 set g. sec. port from which
 a W. Oak 15 in. diameter N 39 E 16 lbs. dist. 8
 a Gum 12 " " S 46 W 10 " "
 45.00 20.00 three fallen timber & Brush & Briers
 80.00 set port cor. of sec. 20, 21, 28 & 29 from which
 an Ark 8 in. diameter N 77 1/2 E 24 lbs. dist. 8
 a Poplar 14 " " S 53 W 15 " "
 Level good Plough land, Oaks, Beech & Poplar

North between Sec. 29 & 30

6.75 a Branch 3 lbs. wide course N 40 E

T.3 N., R.6 E. 2.^d Mer. Ind.^a

- 16.50 a Poplar 38 in. dia.
 37.00 a Drain 6 lbs. wide course N30 E
 40.00 Set of sec. post from which
 a Dogwood 6 in. dia. bears N33 E 15 lbs. dist. 8
 a B. Oak 30 " " " S37 W 11 " "
 80.00 Set post cor. of sec. 19, 20, 29 & 30 from which
 a W. Oak 18 in. dia. bears N60 E 36 lbs. dist. 8
 a B. Oak 21 " " " S107 W 27 " "
 Low ridges, good Plough land, Oak, Beech,
 Poplars Ash. Thursday Oct. 30, 1806
-

- West between Sec. 19 & 30
 26.38 a W. Oak 36 in. dia.
 40.00 Set of sec. post from which
 a Poplar 28 in. dia. bears S59 W 36 lbs. dist. 8
 a Hickory 23 " " " S53 E 22 " "
 58.00 a Branch 8 lbs. wide course N
 70.38 a B. Oak 24 in. dia.
 72.00 Intersect W. Boundary 20th lbs. N. of post -
 Set post at intersection cor. of sec. 19 & 30 from which
 a W. Oak 16 in. dia. bears N36 E 11 lbs. dist. 8
 a Dr 18 " " " S50 E 36 " "
 Low ridges, Oak, Poplar & Beech
-

- East on Raudon between Sec. 20 & 29
 17.50 a Branch 8 lbs. wide course N
 31.50 a Dr 10 " " " N
 40.00 Set temp. of sec. post
 43.50 a Branch 6 lbs. wide course N
 57.50 a Dr 30 " " " N
 80.00 Intersect N & S. line at post -
 Low ridges, Beech, Poplar, Oak & Ash
-

T. 3 N., R. 6 E., 2^d Mer. Ind.^a

West blazed between Sec. 20 & 29

40.00 set g. sec. post at aver. dist. from which
 a Beech 7 in. diameter N 67 $\frac{1}{2}$ W 9 $\frac{1}{2}$ lbs. dist. 8
 a Do 8 " " " S 86 $\frac{1}{2}$ E 14 " "

80.00 to sec. cor.

East in Random between Sec. 21 & 28

10.00 20.00 thence fallen timber

31.00 a Branch 10 lbs. wide course N 40 E

40.00 set temp. g. sec. post

51.00 a Branch 6 lbs. wide course N 30 E

72.00 a Do 45 " " " N

79.50 Intersect N & S line 70 lbs. N. of post -
 Level, Oak, Beech, Poplar & Ash

West corrected between Sec. 21 & 28

39.75 set g. sec. post at aver. dist. from which
 a Gum 12 in. diameter S 83 E 21 lbs. dist. 8
 a Beech 10 " " " N 16 E 10 " "

79.50 to sec. cor.

East in Random between Sec. 22 & 27

40.00 set temp. g. sec. post

80.25 Intersect N & S line 50 lbs. N. of post - in the
 edge of a Swamp
 Land level, Oak & Beech

West corrected between Sec. 22 & 27

40.00 set g. sec. post at aver. dist. from which
 a W. Oak 14 in. diameter N 58 - 27 lbs. dist. 8
 a Do 8 " " " S 59 E 23 " "
 ----- to sec. cor. Saturday November 1. 1806

T. 3 N., R. 6 E., 2^d Mer. Ind^a.

West between Sec. 23 & 26

37.50 a Branch 75 lbs. wide course N 20 E

40.44 set g. sec. post from which

a Beech 13 in. dia. bears S 38 E 7 lbs. dist. 8

a Do 8 " " " S 18 W 12 " "

59.50 a Branch 75 lbs. wide course S 70 W

62.50 same " course N 40 W

65.00 Swamps & Briers to the port -

Level good Ploughland to the Swamps, generally
Beech, some Oak, Poplar & Ash

East on Random between Sec. 24 & 25

40.00 set temp. g. sec. post

41.75 a Branch 8 lbs. wide course N

81.62 Intersect E. Boundary 205 lbs. N. of post -

Level, Oak & Beech, good Ploughland

West Corrected between Sec. 24 & 25

40.81 set g. sec. post at aver. dists from which

a Beech 10 in. dia. bears N 11 E 36 lbs. dist. 8

a Do 16 " " " S 52 E 17 " "

81.62 to sec. cor.

North between Sec. 23 & 24

23.14 a Poplar 14 in. dia.

40.00 set g. sec. post from which

a Cottonwood 7 in. dia. bears S 43 E 7 lbs. dist. 8

a Beech 12 " " " S 34 W 26 " "

62.00 a Branch 4 lbs. wide course N 60 E

68.88 a Beech 16 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Poplar 10 in. dia. bears N 50 E 12 lbs. dist. 8

a Do 10 " " " N 47 W 24 " "

T. 3. N., R. 6. E. 2. Mer. Ind. a

Level, Oak, Beech & Poplar, good Plough land

North between Sec. 22 & 23

12.00 through Swamp

40.00 set of sec. post from which

a Maple 12 in. dia. bears N 58 E 5 1/2 lbs. dist. 8

a Do 10 " " " N 9 W 19 " "

59.38 a Gum 24 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Beech 22 in. dia. bears N 82 W 27 1/2 lbs. dist. 8

a Gum 16 " " " N 66 E 11 " "

Bottom, Oak, Gum, Beech, Poplar & Maple

Plough & Meadow land

North between Sec. 21 & 22

40.00 set of sec. post from which

a Gum 10 in. dia. bears N 7 E 26 lbs. dist. 8

a Do 7 " " " N 10 W 26 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a W. Oak 18 in. dia. bears S 34 W 23 lbs. dist. 8

a Beech 7 " " " N 26 E 12 " "

Level, Oak, Beech & Poplar, good Plough

land fine for Wheat

North between Sec. 20 & 21

20.15 a W. Oak 12 in. dia.

40.00 set of sec. post from which

a W. Oak 22 in. dia. bears S 37 E 13 lbs. dist. 8

a Hickory 10 " " " N 24 W 19 " "

67.00 a W. Oak 18 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a R. Oak 20 in. dia. bears S 42 W 22 lbs. dist. 8

a Ash 12 " " " N 21 E 24 " "

T. 3. N., R. 6. E. 2. Mer. Ind. a

Sewd, Oak, Beech, Ash & Poplar

North between Sec. 19 & 20

40.00 Set of sec. port from which

a W. Oak 20 in. dia bears N 68 E 11 lbs. dist 8

a Beech 8 " " " S 62 W 23 " "

47.75 a W. Oak 30 " "

57.12 a Branch 8 lbs. wide course N 30 E

80.00 Set port cor. of sec. 17, 18, 19 & 20 from which

a Beech 8 in. dia bears S 30 E 14 lbs. dist 8

an Ash 10 " " " N 23 1/2 W 37 " "

Low ridges, Oak, Beech & Poplar. Good Plough
land for Wheat or Corn

Sunday, November 2. 1806

West between Sec. 18 & 19

17.00 a B. Oak 31 in. dia.

40.00 Set of sec. port on a Beech 16 in. dia. from which

a W. Oak 32 in. dia bears N 24 W 39 lbs. dist.

70.50 a Branch 25 lbs. wide course N

70.75 Intersect W. Boundary 379 lbs. N of port —

Set port at intersection cor. of Sec. 18 & 19 from which

a Beech 10 in. dia bears S 63 E 40 lbs. dist. 8

a Do 18 " " " N 40 E 50 " "

Low ridges, Beech, Oak, Poplar & Ash

East on Random between Sec. 17 & 20

4.50 a Branch 6 lbs. wide course N

9.50 a Do 7 " " " N

40.00 Set temp. of sec. port

68.50 a Branch 25 lbs. wide course N

80.75 Intersect N. S. line 50 lbs. N. of port —

Sewd good land, Oak, Beech, Hickory & Poplar

T. 3 N., R. 6 E. 2^d Mer. Ind.^a

West Connected between Sec. 17 & 20

40.37½ set g. sec. post at aver. dist. from which
 a Beech 10 in. dia. bears N 33 E 40 Ms. dist. 8
 a Hickory 14 " " " S 42 E 11 " "
 80.75 to sec. cor.

East on Random between Sec. 16 & 21

37.50 a Branch 45 Ms. wide course N
 40.00 set temp. g. sec. post
 80.00 Intersect N & S. line at post -
 Syc, Oak, Beech, Ash & Poplar

West blazed between Sec. 16 & 21

40.00 set g. sec. post at aver. dist. in a trading path from
 which a Sugar 30 in. dia. bears N 12 W 28 Ms. dist. 8
 a Beech 24 " " " S 2 W 28 " "
 80.00 to sec. cor.

East on Random between Sec. 15 & 22

23.00 a Branch 10 Ms. wide course N 30 E
 40.00 set temp. g. sec. post
 81.50 Intersect N & S. line 200 Ms. N. of post -
 Syc, Birch & Briers, Beech, Oak & Poplar

West Connected between Sec. 15 & 22

40.75 set g. sec. post at aver. dist. from which
 a Hickory 12 in. dia. bears S 65 E 22 Ms. dist. 8
 a Poplar 16 " " " S 25 W 13 " "
 81.50 to sec. cor.

East on Random between Sec. 14 & 23

7.00 a Branch 75 Ms. wide course N 30 E
 15.00 same " course S 70 E

T. 3 N., R. 6 E. 2^d Mer. Ind.^a

19.50 same Branch course N

40.00 set temp. g. sec. port

80.50 Intersect N & S. line 30 Ms. N. of port

Level, part bottom, Oak, Poplar, Gum & Beech

West Corrected between Sec. 14 & 23

40.25 set g. sec. port at aver. dist. from which
an Elm 30 in. diam. N 31 E 5 Ms. dist. 8
a Beech 12 " " " S 24 W 7 " "

80.50 to sec. cor.

East in Random between Sec. 13 & 24

14.12 a Branch 3 Ms. wide course N 40 E

24.00 a Do 10 " " " N 45 E

40.00 set temp. g. sec. port

81.50 Intersect E. Boundary 200 Ms. N. of port -
Level, Buck & Briers, Beech, Oak & Poplar

West Corrected between Sec. 13 & 24

40.75 set g. sec. port at aver. dist. from which
a Poplar 12 in. diam. S 78 E 32 Ms. dist. 8
a Do 13 " " " N 71 W 13 " "

81.50 to sec. cor.

North between Sec. 13 & 14

5.95 a Beech 18 in. dia.

40.00 set g. sec. port from which

a W. Oak 33 in. diam. N 42 E 40 Ms. dist. 8

a Hickory 10 " " " N 81 W 36 " "

75.00 a Branch 6 Ms. wide course E

80.00 set port cor. of Sec. 11, 12, 13 & 14 from which

a W. Oak 23 in. diam. S 30 E 25 Ms. dist. 8

a Beech 16 " " " S 78 W 21 " "

T. 3. N., R. 6. E., 2.^d Mer. Ind.^a

Level, Beech, Oak, Hickory & Poplar

North between Sec. 14 & 15

6.08 a Beech 22 in. dia.

40.00 set of sec. part from which

a R. Oak 30 in. dia. bears S 42° W 10 lbs. dist. 8

a Beech 8 " " " N 29° E 26 " "

49.00 a Do 20 " "

80.00 set part in fallen timber on. of sec. 10, 11, 14 & 15 from
which a Gum 20 in. dia. bears S 38° E 12 lbs. dist. 8

a Beech 14 " " " S 66½° E 67 " "

Level, Beech, Oak & Poplar

North between Sec. 15 & 16

4.14 a Beech 20 in. dia.

40.00 set of sec. part from which

a W. Oak 18 in. dia. bears S 57° W 7 lbs. dist. 8

an Ash 7 " " " N 61° E 9 " "

53.00 a B. Oak 22 " "

55.25 a Branch 6 lbs. wide course E

80.00 set part on. of sec. 9, 10, 15 & 16 from which

a W. Oak 20 in. dia. bears S 63° W 35 lbs. dist. 8

a Do 20 " " " N 66° E 48 " "

Level, Oak, Poplar & Beech,

Monday, November 3. 1866

North between Sec. 16 & 17

13.50 a B. Oak 22 in. dia.

39.50 a Branch 30 lbs. wide course N 40° W

40.00 set of sec. part from which

a Beech 6 in. dia. bears N 12° W 11 lbs. dist. 8

a Do 7 " " " S 70° E 22 " "

68.00 a Do 22 " "

T. 3 N., R. 6 E., S. Mer. Ind.^a

80.00 set post cor. of sec. 8, 9, 16 & 17 from which
 a Hickory 14 in. diam bears N 66 E 11 lbs. dist. 8
 a R. Oak 20 " " " N 85 W 29 " "
 Level, part bottom, Beech, Hickory, Oak &
 Poplar. Good Plough land

North between Sec. 17 & 18

9.02 a Branch 6 lbs. wide course E
 15.20 a W. Oak 16 in. diam.
 38.50 a Branch 6 lbs. wide course N 50 E
 40.00 set g. sec. post from which
 a Gum 12 in. diam bears N 71 1/2 E 19 lbs. dist. 8
 a Beech 33 " " " N 87 W 53 " "
 48.00 a Branch 12 lbs. wide course N 20 E
 80.00 set post cor. of sec. 7, 8, 17 & 18 from which
 a Maple 12 in. diam bears N 50 W 24 lbs. dist. 8
 a Hickory 8 " " " S 27 E 11 " "
 Level good Plough land, Beech, Poplar, Oak
 & Hickory

West between Sec. 7 & 18

24.50 a Branch 15 lbs. wide course N
 40.00 set g. sec. post from which
 a Gum 12 in. diam bears N 74 W 19 lbs. dist. 8
 a Beech 6 " " " N 81 W 20 " "
 The g. sec. post stands in a drain running N
 72.00 Intersect W. Boundary 524 lbs. N. of post—
 set post at intersection cor. of sec. 7 & 18 from which
 a Hickory 12 in. diam bears S 17 E 9 lbs. dist. 8
 a Do 13 " " " N 84 E 27 " "
 Level good land, Beech, Oak, Hickory & Poplar,
 some Dogwood

T. 3 N., R. 6 E., T. 2^d Mer., Ind.^a

East on Random between Sec. 8 & 17

38.00 a Branch 20 lks. wide course N 30° W

40.00 set temp. g. sec. post

43.50 a Branch 50 lks. wide course N

53.00 a Dr 30 " " " N 50° W

57.40 a Dr 20 " " " N

80.00 Intersect N & S. line at post—

Level, Beech, Poplar, Oak, Maple & Gum

West blazed between Sec. 8 & 17

40.00 set g. sec. post at aver. dist. from which

a W. Oak 21 in. dia. bears S 55° W 22 lks. dist. &

a Beech 14 " " " N 42° E 23 " "

80.00 to Sec. cor.

East on Random between Sec. 9 & 16

28.00 a Branch 8 lks. wide course N

38.50 a Dr 6 " " " N

40.00 set temp. g. sec. post

60.02 a Branch 6 lks. wide course N 40° E

80.00 Intersect N & S. line at post—

Level good Plough land, Oak, Beech, Hickory,
& Poplar

West blazed between Sec. 9 & 16

40.00 set g. sec. post at aver. dist. from which

a W. Oak 30 in. dia. bears N 17° E 4 lks. dist. &

a Beech 10 " " " S 11° W 27 " "

80.00 to Sec. cor.

East on Random between Sec. 10 & 15

16.00 a Branch 12 lks. wide course N 40° E

40.00 set temp. g. sec. post

T. 3 N., R. 6 E. 2. Mer. Ind.^a

49.50 a Branch 12 lrs. wide course N
 80.00 Intersect N & S. line 65 lrs. N. of port—
 Level, Oak, Beech, Hickory & Poplar

West Connected between Sec. 10 & 15
 40.00 Set g. sec. port at aver. dist. from which
 a R. Oak 10 in. diameter S 63 E 10 lrs. dist. S
 a Hickory 8 " " " N 67 W 19 " "
 80.00 to sec. cor.

East on Random between Sec. 11 & 14
 27.80 a Branch 75 lrs. wide course N
 40.00 Set temp. g. sec. port
 80.00 Intersect N & S. line 250 lrs. N. of port—
 Level part wet, Beech, Hickory, Oak & Poplar

West Connected between Sec. 11 & 14
 40.00 Set g. sec. port at aver. dist. from which
 a R. Oak 10 in. diameter S 67 W 16 lrs. dist. S
 a Do 12 " " " N 72 E 45 " "
 80.00 to sec. cor.

East on Random between Sec. 12 & 13
 40.00 Set temp. g. sec. port
 73.25 a Branch 45 lrs. wide course N
 81.00 Intersect E. Boundary 200 lrs. N. of port—
 Low ridges, Beech, Oak, Poplar & Hickory

West Connected between Sec. 12 & 13
 40.50 Set g. sec. port at aver. dist. from which
 a Beech 14 in. diameter N 69 W 26 lrs. dist. S
 a Do 8 " " " N 64 E 4 " "
 81.00 to sec. cor. Tuesday November 4. 1806

T. 3 N., R. 6 E. 2. Mor. Ind.^a

North between Sec. 11 & 12

14.88 a Beech 20 in. dia.

40.00 set g. sec. post from which

a Beech 21 in. dia. bears N56E 11 lbs. dist. 8

a Do 16 " " " S70W 11 " "

43.02 a Poplar 36 " "

45.00 wet land to the post

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a S. Oak 33 in. dia. bears N10E 34 lbs. dist. 8

an Elm 16 " " " N68W 27 " "

Level, Beech & Poplar to the Swamp = then
Maple, Elm, Gum & Birch

North between Sec. 10 & 11

20.00 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. dia. bears N33W 12 lbs. dist. 8

a Do 12 " " " S19E 19 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 13 in. dia. bears S35E 16 lbs. dist. 8

a W. Oak 10 " " " N82W 27 " "

Level, Beech, Oak, Poplar & Gum, Ash & Maple

North between Sec. 9 & 10

22.00 wet Bottom to the mile post

40.00 set g. sec. post from which

a W. Oak 36 in. dia. bears N41W 15 lbs. dist. 8

a Maple 7 " " " S39E 6 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Gum 12 in. dia. bears N45E 28 lbs. dist. 8

a Beech 21 " " " S29E 26 " "

Low ridges to the Bottom, Beech, Oak, Poplar,
Maple, Elm, Gum & Ash

T. 3 N., R. 6 E. 2^d. Mer. Ind^a.

North between Sec. 8 & 9

7.00 a Hickory 18 in. dia.

22.50 Bottom to the port

40.00 set g. sec. port from which

a Maple 12 in. dia. bears N 35 E 7 Ms. dist. 8

a Do 14 " " " S 31 W 22 " "

47.08 an Ash 20 " "

80.00 set port cor. of sec. 4, 5, 8 & 9 from which

a Maple 12 in. dia. bears N 29 E 22 Ms. dist. 8

an Ash 8 " " " S 43 E 30 " "

Low ridges to the bottom, Beech, Oak, Poplar,
Hickory, Maple, Elm & Gum

North between Sec. 7 & 8

10.00 a Gum 30 in. dia.

40.00 set g. sec. port from which

a Maple 10 in. dia. bears S 34 E 16 Ms. dist. 8

a Hickory 23 " " " N 67 1/2 W 19 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a Beech 13 in. dia. bears N 45 W 23 Ms. dist. 8

a R. Oak 20 " " " N 33 E 26 " "

Level, generally wet & brushy, Beech, Gum,
Maple, Hickory & Oak

West between Sec. 6 & 7

32.00 a W. Oak 30 in. dia.

40.00 set g. sec. port from which

an Ash 10 in. dia. bears N 41 W 20 Ms. dist. 8

a Do 10 " " " N 10 W 21 " "

55.76 a Beech 20 " " at the edge of the wet land

71.50 Intersect W. Boundary 525 Ms. N. of port -

set port at intersection cor. of sec. 6 & 7 from which

a Beech 10 in. dia. bears N 37 1/2 E 24 Ms. dist. 8

T. 3 N., R. 6 E. 2^d Mer. Ind.^a

a Beech 10 in. diameter S 67 E 12 1/2 lbs. dist.

The first 55 lb. wet, Maple, Elm, Gum & Hickory - then Beech, Oak & Poplar

North between Sec. 5 & 6

24.12 a W. Oak 46 in. dia.

40.00 Set g. sec. post from which

a R. Oak 16 in. diameter N 66 E 13 lbs. dist. 8

a Poplar 14 " " " N 63 W 13 " "

54.00 a Beech 22 " "

67.12 The bank of Muscaskituck 200 lbs. wide course W

74.25 Intersect N. Boundary 621 lbs. W. of post -

Set post at intersection on g. sec. 5 & 6 from which

a Elm 14 in. diameter S 50 W 15 lbs. dist. 8

a Beech 30 " " " S 72 E 44 " "

Bottom, Beech, Poplar, Oak, Elm, Gum

East on Random between Sec. 5 & 8

40.00 Set temp. g. sec. post

80.00 Intersect N & S. line at post -

Level wet, Maple, Gum, Oak & Hickory

West blazed between Sec. 5 & 8

40.00 Set g. sec. post at aver. dist. from which

a Gum 10 in. diameter N 55 E 2 lbs. dist. 8

a S. Oak 12 " " " S 81 W 19 " "

80.00 to sec. cor. Wednesday, November 5, 1806

East on Random between Sec. 4 & 9

40.00 Set temp. g. sec. post

80.00 Intersect N & S. line at post -

Wet Bottoms, Gum, Oak, Maple, Elm & Ash

T. 3 N., R. 6 E. 2^d. Mer. Ind.^a

West blazed between Sec. 4 & 9

40.00 set g. sec. post at aver. dist. from which
 a Maple - in. diameter 943 E 13 lbs. dist. 18
 a Gum 20 " " " N 1 E 11 " "

80.00 to sec. cor.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

80.76 Intersect N & S. line 440 lbs. N. of post -

Level, Beech, Oak, Hickory, Maple, Elm & Gum

West Corrected between Sec. 3 & 10

40.38 set g. sec. post at aver. dist. from which
 a Maple 16 in. diameter N 38 E 15 lbs. dist. 8
 a Gum 14 " " " N 76 E 17 " "

80.76 to sec. cor.

East on Random between Sec. 2 & 11

15.75 a Branch 80 lbs. wide corner N 70 E

25.00 Swamp to the mile post

40.00 set temp. g. sec. post

80.00 Intersect N & S. line 220 lbs. N. of post -

Level, Maple, Elm, Gum, Beech & Poplar

West Corrected between Sec. 2 & 11

40.00 set g. sec. post at aver. dist. from which
 a Gum 10 in. diameter N 46 W 18 lbs. dist. 8
 a Maple 12 " " " N 41 E 30 " "

80.00 to sec. cor.

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post

80.76 Intersect E. Boundary 260 lbs. N. of post -

T. 3 N., R. 6 E., S. Mer. Ind.^a

Low wet & bushy Bottoms, Maple, Elm,
Hickory & Gum

West Connected between Sec. 1 & 2

40.38 set g. sec. post at aver. dist. from which
a S. Oak 12 in. diameter N 42 E 24 lbs. dist. 8
a W. Beech 9 " " " N 82 E 10 " "
80.76 to sec. cor.

North between Sec. 1 & 2

3.12 a Gum 18 in. dia.
15.00 a Branch 6 lbs. wide course W
40.00 set g. sec. post from which
a Beech 22 in. diameter N 24 W 24 lbs. dist. 8
a Do 12 " " " S 25 E 12 " "
44.00 an Ash 16 " "
77.50 Intersect N. Boundary 200 lbs. W. of post—
set post at intersection cor. of Sec. 1 & 2 from which
a Beech 14 in. diameter S 63 E 11 lbs. dist. 8
a Do 13 " " " S 34 W 24 " "
Level, part wet Bottoms, Maple, Gum, Ash,
Beech, Poplar, Hickory & Oak

North between Sec. 2 & 3

7.50 a W. Oak 30 in. dia.
22.00 a Branch 100 lbs. wide course N 60 W
25.00 a Do 100 " " " W
40.00 set g. sec. post from which
a Gum 20 in. diameter N—E 30 lbs. dist. 8
a S. Oak 16 " " " N 74 E 37 " "
50.00 a Do 20 " "
74.62 Intersect N. Boundary 350 lbs. W. of post—
set post at intersection cor. of Sec. 2 & 3 from which

T. 3 N., R. 6 E., 2^d Mer. Ind.^a

a Beech 13 in. dia. leans S 20 E 38 lbs. dist. 8
 a Do 20 " " " S 49 W 41 " "
 Low wet Bottoms, Beech, Oak, Ash, Maple,
 Gum, Elm & Hickory

North between Sec. 3 & 4

19.00 a Beech 20 in. dia.
 40.00 cut of sec. part from which
 a S. Oak 14 in. dia. leans N 13 W 18 lbs. dist. 8
 a R. Oak 22 " " " S 28 W 26 " "
 49.00 a Branch 100 lbs. wide course N 10 W
 57.72 a Hickory 22 in. dia.
 75.00 Intersect N. S. line 490 lbs. W. of port -
 set part at intersection cor. of Sec. 3 & 4 from which
 a Beech 16 in. dia. leans S 72 W 17 lbs. dist. 8
 a Do 20 " " " N 86 E 21 " "
 Low wet Bottoms, Beech, Oak, Ash, Maple,
 Elm, Hickory & Gum

North between Sec. 4 & 5

5.19 an Elm 30 in. dia.
 24.00 Muscackituck 200 lbs. wide course W
 30.00 same course S 40 E
 Offset West 8.00 Ch. North 17.50 Ch.
 East 8.00 to the true line
 South 3.00 to the creek
 79.00 Intersect N. Boundary 500 lbs. W. of port -
 set part at intersection cor. of sec. 4 & 5 from which
 a Beech - in. dia. leans N 44 W 6 lbs. dist. 8
 a W. Oak 20 " " " S 35 E 23 " "
 Part Bottoms, Beech, Oak, Hickory & Poplar
 Completed this Township Thursday November
 6. 1806 Jacob Fowler, Dep. Surveyor

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 3 North,
in Range N. 6 East of the 2^d Principal Merid-
ian, in the State of Indiana, has been compared
with the original on file in this office, and found
to be correct.

Surveyor General's Office,

Cincinnati, March 22, 1842

E. P. Haines
Sur. Genl.